

# Cutting discs - Freehand cut-off wheels



## PREMIUM cut-off wheels

for nonferrous metals



### Application



- + For machining different types of nonferrous metals such as aluminium, aluminium bronze, aluminium base alloys, copper, bronze, brass, nickel silver and titanium

### We recommend

- + 1.0 to 1.9 mm for fastest cutting and minimum burr formation
- + 2.0 to 3.0 mm for maximum lifetime and stability

### Advantage

- + New specifications prevent clogging and dulling of the wheel
- + Specification and manufacturing method enable the shortest cutting times
- + Enhanced performance

Form	Type number	Dimension	Specification	PU			
	41	34332821	115 x 1,0 x 22,23	A 60 N- BFP	25 Pcs.		
		34163165	115 x 1,0 x 22,23	A60N-BFP	25 Pcs.		
		34332823	115 x 1,6 x 22,23	A 46 N- BFP	25 Pcs.		
		39624	115 x 2,5 x 22,23	A 30 N- BFX A	25 Pcs.		
		34332822	125 x 1,0 x 22,23	A 60 N- BFP	25 Pcs.		
		34332824	125 x 1,6 x 22,23	A 46 N- BFP	25 Pcs.		
		39321	125 x 2,5 x 22,23	A 30 N- BFX A	25 Pcs.		
		525355	178 x 2,0 x 22,23	A 30 N- BFX A	25 Pcs.		
		32141	178 x 2,5 x 22,23	A 30 N- BFX A	25 Pcs.		
		34332825	230 x 2,0 x 22,23	A 30 N- BFP	25 Pcs.		
		32142	230 x 2,5 x 22,23	A 30 N- BFX A	25 Pcs.		
			42	82646	115 x 2,5 x 22,23	A 30 N- BFX A	25 Pcs.
				366888	125 x 2,5 x 22,23	A 30 N- BFX A	25 Pcs.
5485	178 x 3,0 x 22,23			A 30 N- BFX A	25 Pcs.		
30741	230 x 3,0 x 22,23			A 30 N- BFX A	25 Pcs.		