

Grinding wheels - Rough grinding wheels

★★ STANDARD rough grinding wheels for stainless steel



Application


- + For a host of grinding applications on different stainless steel grades

We recommend

- + 6 and 6,5 mm thickness for rough grinding
- + 8 mm thickness for rough grinding with enhanced lifetime

Advantage

- + Bond system specially tailored to stainless steel with very good abrasiveness and lifetime
- + The chemical purity of the product prevents corrosion, pitting corrosion and reduction in fatigue strength for very good results on stainless steel
- + Comfort Start ensures a comfortable start when grinding and increases the level of working comfort

Form	Type number	Dimension	Specification	PU	
	27	367545	115 x 6 x 22,23	A 30 R- BF INOX	10 Pcs.
		367548	125 x 6 x 22,23	A 30 R- BF INOX	10 Pcs.
		367550	150 x 6 x 22,23	A 30 R- BF INOX	10 Pcs.
		367551	178 x 6,5 x 22,23	A 30 R- BF INOX	10 Pcs.
		367553	178 x 8 x 22,23	A 30 R- BF INOX	10 Pcs.
		367554	230 x 6,5 x 22,23	A 30 R- BF INOX	10 Pcs.
		367556	230 x 8 x 22,23	A 30 R- BF INOX	10 Pcs.