

Cutting discs - Freehand cut-off wheels



STANDARD cut-off wheels

for stainless steel



Application

- + For machining different stainless steel grades
- + For cutting metal sheets, profiles, pipes, rods and solid material

We recommend

- + 1.0 to 1.9 mm for fastest cutting and minimum burr formation
- + 2.0 to 3.0 mm for long lifetime and maximum stability

Advantage

- + The chemical purity of the product prevents corrosion, pitting corrosion and reduction in fatigue strength for very good results on stainless steel
- + Convenient cutting with excellent lifetime
- + Short working times thanks to very good cutting ability and a low thermal load on the workpiece (heat build-up)

Form	Type number	Dimension	Specification	PU
 	41	34332830	115 x 1,0 x 22,23	A 60 R- BFS
	34332833	115 x 1,6 x 22,23	A 46 R- BFS	25 Pcs.
	34332832	125 x 1,0 x 22,23	A 60 R- BFS	25 Pcs.
	34332834	125 x 1,6 x 22,23	A 46 R- BFS	25 Pcs.
	408496	125 x 2,0 x 22,23	A 30 R- BF INOX	25 Pcs.
	34332835	150 x 1,6 x 22,23	A 46 R- BFS	25 Pcs.
	367776	150 x 2,0 x 22,23	A 30 R- BF INOX	25 Pcs.
	367575	150 x 2,5 x 22,23	A 30 R- BF INOX	25 Pcs.
	34332891	178 x 1,6 x 22,23	A 46 R- BFS	25 Pcs.
	367777	178 x 2,0 x 22,23	A 30 R- BF INOX	25 Pcs.
	367577	178 x 2,5 x 22,23	A 30 R- BF INOX	25 Pcs.
	34332838	230 x 1,9 x 22,23	A 46 R- BFS	25 Pcs.
	34332839	230 x 2,0 x 22,23	A 30 R- BFS	25 Pcs.
	367582	230 x 2,5 x 22,23	A 30 R- BF INOX	25 Pcs.
	42	367783	115 x 2,0 x 22,23	A 30 R- BF INOX
	367788	125 x 2,0 x 22,23	A 30 R- BF INOX	25 Pcs.
	367791	178 x 2,5 x 22,23	A 30 R- BF INOX	25 Pcs.
	367802	230 x 2,5 x 22,23	A 30 R- BF INOX	25 Pcs.